
COSO®

GERMAN HEALTH BATHROOM



Foshan Shunde Huiying Sanitary Ware Co., Ltd.
Address: No. 3-1 Dejin Road, Xingtan Town, Shunde District, Foshan City
Telephone：400-882-1238
Website：www.coso.cn

佛山市顺德区辉映卫浴洁具有限公司
地址：佛山市顺德区杏坛镇德进路3号之一
电话：400-882-1238
网站：www.coso.cn

COSO®

GERMAN

health

bathroom

COSO takes the German industrial
standards as the design theory, producing
the most logical and beautiful products
by high quality material, ergonomics,
mathematical space, rigorous
manufacturing and rational beauty.

COSO GERMAN INDU-STRIAL

COSO TAKES THE GERMAN INDUSTRIAL STANDARDS AS THE DESIGN THEORY, PRODUCING THE MOST LOGICAL AND BEAUTIFUL PRODUCTS BY HIGH QUALITY MATERIAL, ERGONOMICS, MATHEMATICAL SPACE, RIGOROUS MANUFACTURING AND RATIONAL BEAUTY.

BECOME THE SYNONYM OF HEALTH, PRACTICABILITY, RATIONALITY AND SUBSTANTIAL.



SPACE AND DREAMS

MATERIAL AND APPEARANCE

1.2mm

10K

不锈钢型材 / Stainless steel sectional material

304# 不锈钢触感硬朗，富浓烈的金属质感，是一种十分前卫时尚的淋浴房材料。1.2mm 以上加厚设计，承重力极佳，不易变形，耐腐蚀性强。完美展现精磨的 10K 镜面效果，持久光亮如新！

SS304 has a tough sense of touch and strong metallic texture, so it is a kind of advanced and fashion material for the shower room. It is designed with the thickness over than 1.2mm, which enables it with excellent bearing capacity, nondeformed performance and strong erosion-proof ability. It will exhibit the perfect 10K mirror effect after fine grinding and keep always bright.



COPPER >20%

10mm

铝合金型材 / Aluminum alloy extrusions

高斯淋浴房所采用铝合金硬度为 12 度左右，是由高纯铝锭（含铁量＜ 0.1%）配方，其中铜含量较普通铝锭高出 20% 以上，从而彰显出氧化处理后的高亮度表面的质感及饱满、调匀的色泽感。高斯淋浴房的铝材壁厚设计一般在（1.0-4.0mm），特殊部位甚至达到 10mm，因此，承载力强，不易变形。

The hardness of the aluminum alloy used for COSO shower room is about 12 degree. It is formulated by aluminum ingot with high purity(iron content < 0.1%). Its copper content is over 20% higher than normal aluminum ingot, so as to show the texture and the rich, smooth lustre of the high-light surface after the oxidation treatment. The wall thickness of the aluminum material for COSO shower room is usually designed within 1.0-4.0mm, and even 10mm in some special parts.Therefore, it has a high bearing capacity and it is not easy to get deformed.

折弯型材工艺
Bending technology

行业独有的折弯型材工艺，坚实耐用，美观大方。

The particular bending technology in the industry will make the shower room solid, durable and elegant.

顺柔转轴技术
Flexible spindle technology

通过 250 万次机械开闭测试，确保开合柔和顺畅，使用寿命长久。

It has gone through the mechanical lockage test of 2500000 to make sure that the spindle has flexible opening and losing as well as long service life.

轨道与边柱调节
The adjusting function of the railway and side column

轨道与边柱之间可以伸缩调节，免除墙壁不垂直造成有缝隙的缺陷，使安装更简便。

It is adjustable between the railway and side column to eliminate the defects of cracks caused by non-normal wall. It is also much easier to install the shower room.

外装合页
Exterior hinge

人性化外装合页设计，保证淋浴房内部平整，让清洁变得更加轻松快捷。

The humanized exterior hinge will ensure the interior leveling of the shower room, thus making clean easier and faster.

E1 SERIES

GERMAN HEALTH BATHROOM.

E1T52

GERMAN HEALTH BATHROOM.

BEYOND ALL BOUNDARIES, THE GERMAN SHOWER ROOM TO THE EXTREME. TELL ITS STORY, AROUSE THE EMOTIONAL IMPACT OF COLOR.

E1431L



E1331R


COMFORT AND NATURE COME FROM COUNTLESS TECHNICAL
SUBLIMATION,SCIENCE AND AESTHETICS HARMONIOUSLY INTEGRATE,AND
HEALTHY LIFE COMES FROM ULTIMATE PERFECTION.



Glass thickness 10mm
玻璃厚度 10mm


Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



E1121L

Opening method	One-fixed-one-movable shaft (left inside and outside open)	
开门方式	一固一活开门（左内外开）	
Standard of size	M1=1000	H=2100
标准尺寸	宽1=1000	高=2100
Size range	M1=900-1400	H=1900-2400
定做范围	宽1=900-1400	高=1900-2400



E1131L


Opening method	Two-fixed-one-movable door (left inside and outside open)		
开门方式	两固一活开门（左内外开）		
Standard of size	M1=1500	H=2100	
标准尺寸	宽1=1500	高=2100	
Size range	M1=1200-2000	H=1900-2400	
定做范围	宽1=1200-2000	高=1900-2400	

Glass thickness 10mm
玻璃厚度 10mm

Material Stainless steel
材质 不锈钢


Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

E1331L




Opening method	Rectangular door (left inside and outside open)		
开门方式	长方形开门（左内外开）		
Standard of size	M1=1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M1=1000-1600	M2=800-1300	H=1900-2400
定做范围	M1=1000-1600	M2=800-1300	H=1900-2400

E1431L



Opening method	Diamond type flat opening (left inside and outside open)			
开门方式	钻石型开门（左内外开）			
Standard of size	M1=550	M2=636	M3=550	H=2100
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100
Size range	M1=200-1300	M2=500-900	M3=200-1300	H=1900-2400
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金




E1E72

Opening method	E type flat opening (inside and outside open)		
开门方式	"E" 形开门（内外开）		
Standard of size	M1= 2400	M2=1000	H=2200
标准尺寸	长 = 2400	宽=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	长 =2000-3000	宽 =800-1500	高=1900-2400

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

E1T52



Opening method	T type flat opening (inside and outside open)		
开门方式	"T" 形开门 （内外开）		
Standard of size	M1= 2400	M2=1000	H=2200
标准尺寸	长 = 2400	宽=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	长 =2000-3000	宽 =800-1500	高=1900-2400



DELICATE CARVING

E2 SERIES

GERMAN HEALTH BATHROOM.



E2331L



E2431L

THE LINES THAT PAY ATTENTION TO THE SMALLEST DETAIL ARE VERY FORMAL AND EXQUISITE, AND ARE MADE OF THE HIGHEST QUALITY MATERIALS.

E2T52






E2121L

THE SLOW LIFE STYLE FULL OF ARTISTIC ARBITRARINESS MAKES THE GERMAN UNDERSTAND THE IMPORTANCE OF GOOD THINGS IN LIFE.
SURROUNDED BY EXQUISITE AND MAGNIFICENT BUILDINGS, FAMOUS PAINTINGS WITH DIFFERENT STYLES, BRIGHT JEWELRY AND VALUABLE LUXURY CARS... SURROUNDED BY THESE BEAUTIFUL AND EXQUISITE ENVIRONMENT, THEY CULTIVATE THEIR AESTHETIC ABILITY AND TEMPERAMENT.

Glass thickness 10mm
玻璃厚度 10mm


Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



E2111L

Opening method	one-movable shaft (left outside open)	
开门方式	一活开门(左外开)	
Standard of size	M1=600	H=2100
标准尺寸	宽1=600	高=2100
Size range	M1=500-900	H=1900-2400
定做范围	宽1=500-900	高=1900-2400



E2121L

Opening method	Glass tOne-fixed-one-movable shaft (left outside open)	
开门方式	一固一活开门（左外开）	
Standard of size	M1=1000	H=2100
标准尺寸	宽1=1000	高=2100
Size range	M1=900-1400	H=1900-2400
定做范围	宽1=900-1400	高=1900-2400


Glass thickness 10mm
玻璃厚度 10mm

Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金


E2131L

Opening method	Two-fixed-one-movable door (left outside open)	
开门方式	两固一活开门（左外开）	
Standard of size	M1=1500	H=2100
标准尺寸	宽1=1500	高=2100
Size range	M1=1200-2000	H=1900-2400
定做范围	宽1=1200-2000	高=1900-2400



E2431L


Opening method	Diamond-shaped door (left outside open)			
开门方式	钻石型开门（左外开）			
Standard of size	M1=550	M2=636	M3=550	H=2100
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100
Size range	M1=200-1300	M2=500-900	M3=200-1300	H=1900-2400
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400



Glass thickness 10mm
玻璃厚度 10mm


Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



E2331L

Opening method	Rectangular door (left outside open)		
开门方式	长方形开门（左外开）		
Standard of size	M1=1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M1=1000-1600	M2=800-1300	H=1900-2400
定做范围	宽1=1000-1600	宽2=800-1300	高=1900-2400




E2E72

Opening method	"E" shaped door (outside open)		
开门方式	"E" 形开门（外开）		
Standard of size	M1=2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400

Glass thickness 10mm
玻璃厚度 10mm

Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



E2T52

Opening method	"T" shaped door (outside open)		
开门方式	"T" 形开门（外开）		
Standard of size	M1=2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400



ULTIMATE PERFECTION


D1 SERIES

GERMAN HEALTH BATHROOM.




D1431L

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



D1121L

Opening method	One-fixed-one-movable shaft (left inside and outside open)	
开门方式	一固一活转轴(左内外开)	
Standard of size	M1=1000	H=2100
标准尺寸	宽1=1000	高=2100
Size range	M1=900-1400	H=1900-2400
定做范围	宽1=900-1400	高=1900-2400




D1131L

Opening method	Two-fixed-one-movable shaft (left inside and outside open)	
开门方式	两固一活转轴(左内外开)	
Standard of size	M1=1500	H=2100
标准尺寸	宽1=1500	高=2100
Size range	M1=1200-2000	H=1900-2400
定做范围	宽1=1200-2000	高=1900-2400

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金


D1431L

Opening method	Diamond-shaped shaft (left inside and outside open)			
开门方式	钻石型转轴（左内外开）			
Standard of size	M1=550	M2=636	M3=550	H=2100
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100
Size range	M1=200-1300	M2=500-900	M3=200-1300	H=1900-2400
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400




D1331L


Opening method	Rectangular shaft (left direction)		
开门方式	长方形转轴（左内外开）		
Standard of size	M1=1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M1=1000-1600	M2=800-1300	H=1900-2400
定做范围	宽1=1000-1600	宽2=800-1300	高=1900-2400



Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



D1T52



Opening method	T type shaft flat opening (inside and outside open)		
开门方式	"T"形转轴开门（内外开）		
Standard of size	M1=2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400

D1


Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

D2 SERIES

SIMPLE BUT NOT EXTREME, MODERN, ELEGANT BUT NOT SHOWY, SUITABLE FOR ANY BATHROOM.


D2T52

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



D2121L

Opening method	One-fixed-one-movable shaft (left inside and outside open)	
开门方式	一固一活转轴(左内外开)	
Standard of size	M1=1000	H=2100
标准尺寸	宽1=1000	高=2100
Size range	M1=900-1400	H=1900-2400
定做范围	宽1=900-1400	高=1900-2400




D2131L

Opening method	Two-fixed-one-movable shaft (left inside and outside open)	
开门方式	两固一活转轴(左内外开)	
Standard of size	M1=1500	H=2100
标准尺寸	宽1=1500	高=2100
Size range	M1=1200-2000	H=1900-2400
定做范围	宽1=1200-2000	高=1900-2400

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金


D2431L

Opening method	Diamond-shaped shaft (left inside and outside open)			
开门方式	钻石型转轴（左内外开）			
Standard of size	M1=550	M2=636	M3=550	H=2100
标准尺寸	宽1=550	宽2=636	宽3=550	高=2100
Size range	M1=200-1300	M2=500-900	M3=200-1300	H=1900-2400
定做范围	宽1=200-1300	宽2=500-900	宽3=200-1300	高=1900-2400





D2331L

Opening method	Rectangular shaft (left direction)		
开门方式	长方形转轴（左内外开）		
Standard of size	M1=1200	M2=900	H=2100
标准尺寸	宽1=1200	宽2=900	高=2100
Size range	M1=1000-1600	M2=800-1300	H=1900-2400
定做范围	宽1=1000-1600	宽2=800-1300	高=1900-2400



Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金





D2T52

Opening method	T type shaft flat opening (inside and outside open)		
开门方式	"T"形转轴开门（内外开）		
Standard of size	M1=2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400

D2

Glass thickness 10mm
玻璃厚度 10mm
Material Stainless steel
材质 不锈钢
Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金




ROMANTIC AND WISDOM

B1 SERIES


B1122

Glass thickness	10mm	Material	Stainless steel	Color	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度	10mm	材质	不锈钢	颜色	亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B1121L


Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300



B1122


Opening method	Double sliding door	
开门方式	双移门	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300

Glass thickness	10mm	Material	Stainless steel	Color	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度	10mm	材质	不锈钢	颜色	亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B1142

Opening method	Two-fixed-two-movable single sliding door (double door)	
开门方式	两固两活双移门（双开门）	
Standard of size	M1=1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M1=1500-2200	H=1900-2300
定做范围	宽1=1500-2200	高=1900-2300



B1332L


Opening method	Rectangular double sliding door (left direction)		
开门方式	长方形双移门（左方向）		
Standard of size	M1=1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M1=1200-1600	M2=800-1300	H=1900-2300
定做范围	宽1=1200-1600	宽2=800-1300	高=1900-2300

B2 SERIES

SIMPLE BUT NOT EXTREME, MODERN, ELEGANT BUT NOT SHOWY, SUITABLE FOR ANY BATHROOM.


B2122

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B2121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300




B2122

Opening method	Double sliding door	
开门方式	双移门	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金


B2142

Opening method	Two-fixed-two-movable single sliding door (double door)	
开门方式	两固两活双移门（双开门）	
Standard of size	M1=1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M1=1500-2200	H=1900-2300
定做范围	宽1=1500-2200	高=1900-2300



B2332L

Opening method	Rectangular double sliding door (left direction)		
开门方式	长方形双移门（左方向）		
Standard of size	M1=1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M1=1200-1600	M2=800-1300	H=1900-2300
定做范围	宽1=1200-1600	宽2=800-1300	高=1900-2300



B3 SERIES

GERMAN HEALTH BATHROOM.


INNOVATIVE DESIGN

B3122

Glass thickness 8mm
玻璃厚度 8mm


Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B3121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300



B3122

Opening method	Double sliding door	
开门方式	双移门	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1600	H=1900-2300
定做范围	宽1=1200-1600	高=1900-2300


Glass thickness 8mm
玻璃厚度 8mm

Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

B3332L

Opening method	Rectangular double sliding door (left direction)		
开门方式	长方形双移门（左方向）		
Standard of size	M1=1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M1=1200-1600	M2=800-1300	H=1900-2300
定做范围	宽1=1200-1600	宽2=800-1300	高=1900-2300




B5 SERIES

ETERNAL DESIGN NEVER PURSUES MEANINGLESS FASHION. ITS SHAPE MAKES IT A CONTEMPORARY CLASSIC.


B5122

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B5121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2300
定做范围	宽1=1200-1800	高=1900-2300




B5122

Opening method	Double sliding door	
开门方式	双移门	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2300
定做范围	宽1=1200-1800	高=1900-2300

Glass thickness 玻璃厚度	10mm 10mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金


B5142

Opening method	Two-fixed-two-movable single sliding door (double door)	
开门方式	两固两活双移门（双开门）	
Standard of size	M1=1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M1=1500-2200	H=1900-2300
定做范围	宽1=1500-2200	高=1900-2300



B5332L

Opening method	Rectangular double sliding door (left direction)		
开门方式	长方形双移门（左方向）		
Standard of size	M1=1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M1=1200-1600	M2=800-1300	H=1900-2300
定做范围	宽1=1200-1600	宽2=800-1300	高=1900-2300



B6 SERIES

GERMAN HEALTH BATHROOM.




B6122

Glass thickness 8mm
玻璃厚度 8mm


Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



B6121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活双移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2500
定做范围	宽1=1200-1800	高=1900-2500



B6122

Opening method	Double sliding door	
开门方式	双移门	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2500
定做范围	宽1=1200-1800	高=1900-2500


Glass thickness 8mm
玻璃厚度 8mm

Material Stainless steel
材质 不锈钢

Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

B6332L

Opening method	Rectangular double sliding door (left direction)		
开门方式	长方形双移门（左方向）		
Standard of size	M1=1400	M2=900	H=2000
标准尺寸	宽1=1400	宽2=900	高=2000
Size range	M1=1200-1800	M2=800-1300	H=1900-2500
定做范围	宽1=1200-1800	宽2=800-1300	高=1900-2500





ROMANTIC AND WISDOM

A2 SERIES

CALMNESS




Calmness is the only verve of life，living outstandingly，living with elegant rhythms，resplendent clean stream flows at home .

A2242


A2121L

Glass thickness 8mm Material Stainless steel Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度 8mm 材质 不锈钢 颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



A2121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活单移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2200
定做范围	宽1=1200-1800	高=1900-2200




A2142


Opening method	Two-fixed-two-movable single sliding door (double door)	
开门方式	两固两活单移门（双开门）	
Standard of size	M1=1600	H=2000
标准尺寸	宽1=1600	高=2000
Size range	M1=1500-2200	H=1900-2200
定做范围	宽1=1500-2200	高=1900-2200

Glass thickness 8mm Material Stainless steel Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度 8mm 材质 不锈钢 颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

A2242

Opening method	Sector single sliding door (double door)		
开门方式	扇形单移门（双开门）		
Standard of size	M1=1000	M2=1000	H=2000
标准尺寸	宽1=1000	宽2=1000	高=2000
Size range	M1=800-1300	M2=800-1300	H=1900-2200
定做范围	宽1=800-1300	宽2=800-1300	高=1900-2200








BRINGS YOU WITH NATURAL FEELING

A3 SERIES

GERMAN HEALTH BATHROOM.


A3121L

Glass thickness 8mm Material Stainless steel Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度 8mm 材质 不锈钢 颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金



A3121L

Opening method	One-fixed-one-movable single sliding door (left direction)	
开门方式	一固一活单移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1200-1800	H=1900-2300
定做范围	宽1=1200-1800	高=1900-2300




A3131L

Opening method	Two-fixed-one-movable single sliding door (left direction)	
开门方式	两固一活单移门（左方向）	
Standard of size	M1=1500	H=2000
标准尺寸	宽1=1500	高=2000
Size range	M1=1400-2000	H=1900-2300
定做范围	宽1=1400-2000	高=1900-2300

Glass thickness 8mm Material Stainless steel Color Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold
玻璃厚度 8mm 材质 不锈钢 颜色 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

A3T41



Opening method	T type single sliding door		
开门方式	"T"形单移门		
Standard of size	M1=2400	M2=1000	H=2200
标准尺寸	宽1=2400	宽2=1000	高=2200
Size range	M1=2000-3000	M2=800-1500	H=1900-2400
定做范围	宽1=2000-3000	宽2=800-1500	高=1900-2400

WE OFTEN DEFINE LUXURY, BUT THE REAL LUXURY IS TO SUPPORT THE GOOD CONNOTATION WITH HIGH-LEVEL APPEARANCE.
NO ONE IS WILLING TO LOOK FOR YOUR INNER QUALITY FROM YOUR SLOPPY APPEARANCE", SO IS THE DESIGN OF THE SHOWER ROOM.
BUT HERE, LIGHT LUXURY IS APPLIED TO THE EXTREME.





CALMNESS

Calmness is the only verve of life，living outstandingly，living with elegant rhythms，resplendent clean stream flows at home .

F1431R

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金






F1331L


Opening method	Rectangular inward-sliding door (left inward-sliding)		
开门方式	长方形内推门（左内推）		
Standard of size	M1= 1200	M2= 900	H= 2100
标准尺寸	宽1= 1200	宽2= 900	高= 2100
Size range	M1= 900-1400	M2= 800-1300	H=1900–2400
定做范围	宽1= 900-1400	宽2= 800-1300	高=1900–2400

Glass thickness 玻璃厚度	8mm 8mm	Material 材质	Stainless steel 不锈钢	Color 颜色	Light/Elegant Black/Knight Grey/Brushed Ivory Gold/Brushed Moonlight Gold 亮光、雅黑、骑士灰、拉丝象牙金、拉丝皓月金

F1431R

Opening method	Diamond-shaped inward sliding door (left inward sliding)			
开门方式	钻石型内推门（左内推）			
Standard of size	M1= 550	M2= 636	M3= 550	H= 2100
标准尺寸	宽1= 550	宽2= 636	宽3= 550	高=2100
Size range	M1= 200-1300	M2= 500-900	M3= 600-1300	H= 1900-2400
定做范围	宽1= 200-1300	宽2= 500-900	宽3= 600-1300	高=1900-2400





淋浴房编码规则

第1位数代表开门方式

A Sliding door 单移门

B Double door 双移门

C Linkage door 联动门

D Shaft door 转轴门

E Shaped door 合页门

F Inward sliding door 内移门

第2位数代表款式

1 First style 第一款式

2 Second style 第二款式

3 Third style 第三款式

4 Fourth style 第四款式

5 Five style 第五款式

6 Six style 第六款式

第3位数代表淋浴房形状

1 Zigzag screen 一字型屏风

2 Sector 扇形


3 Rectangular 长方型

4 Diamond 钻石型

T Partition is added in the middle of the screen
屏风中间加隔断

E Partition shall be added between the middle and both sides of the screen
屏风中间与两侧加隔断

淋浴房的型号编码说明



COSO®

FROM GERMANY